



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/837,165	04/19/2001	Keiki Yamada	0054-0230P	8432
2292	7590	01/12/2006	EXAMINER	
BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747			HUNTSINGER, PETER K	
			ART UNIT	PAPER NUMBER
			2624	

DATE MAILED: 01/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/837,165

Applicant(s)

YAMADA ET AL.

Examiner

Peter K. Huntsinger

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-3,5 and 8-11 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3,5 and 8-11 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

DOUGLAS Q. TRAN  
PRIMARY EXAMINER

*Tranlong*

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 31 August 2005 has been entered.

### ***Response to Amendment***

2. The amendment filed 31 August 2005 has been entered.

### ***Response to Arguments***

3. Applicant's arguments filed 31 August 2005 have been fully considered but they are not persuasive.

Applicant argues on pages 7 and 8 of the remarks that:

**Furuya et al. do not teach providing predetermined exposure level data, only providing predetermined density data.**

a. Examiner respectfully disagrees. Furuya et al. disclose providing density data that determine an active-time factor by a lookup table (col. 13, lines 15-28). The active-time factor, as shown in table of column 14, directly correlates with the exposure level. The active-time factor controls the exposure amount (col. 18, lines 52-56).

**Furuya et al. do not teach providing a correction of any data.**

- b. Examiner respectfully disagrees. Furuya et al. disclose providing an adjustment to the data (col. 18, lines 22-56). This adjustment is designated to improve image quality, and therefore is considered a correction.

***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-3, 5, and 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawabe et al. U.S. Patent 6,034,710 and Feruya et al. U.S. Patent 5,418,097.

Referring to claim 1, Kawabe et al. discloses an optical printing apparatus in which an image data indicative of a density of each of a plurality of pixels forming an image with a first gradation value is input (col. 9, lines 53-65), so that a plurality of exposure elements of a print head (recording elements, col. 2, lines 36-39) are each driven to perform an exposure with a required quantity of exposure light, thereby forming a pixel corresponding to each of said exposure elements on a photosensitive printing medium which generates a color of a density corresponding to said required quantity of exposure light (col. 9, lines 4-16), said apparatus comprising: an exposure

Art Unit: 2624

level conversion section (printing head control section 40) for converting said image data into corresponding exposure level data (col. 9, lines 53-65) indicative of a density of each pixel with a second gradation value greater than said first gradation value indicated by said image data (col. 7, lines 9-20), said conversion of said image data being based upon predetermined data correlating the image data to exposure level data stored in a conversion table (Table 1, col. 13, lines 13-40), and for outputting the exposure level data thus converted (col. 11, lines 42-54); and a head driving section (printing head 30) being connected to receive said corrected exposure level data from said exposure level correction section and driving, based on said corrected exposure level data, each element of said print head to expose said photosensitive printing medium in such a manner that a quantity of light corresponding to said corrected exposure level data is exposed to said photosensitive printing medium, thereby forming a pixel of a density corresponding to said corrected exposure level data on said photosensitive printing medium (col. 11-12, lines 55-67, 1-29). Kawabe et al. do not disclose expressly an exposure level correction section based upon predetermined data. Feruya et al. disclose an exposure level correction section that corrects the exposure level data output from said exposure level conversion section using a correction factor for each element of said print head, the correction factor being based upon predetermined data stored in a correction table that correlates the exposure level for each element of said print head with an optimal exposure level (col. 13, lines 19-28). Kawabe et al. and Feruya et al. are combinable because they are from the same field of color correction in printing systems. At the time of the invention, it would have been

obvious to a person of ordinary skill in the art to correction exposure data using a predetermined correction factor. The motivation for doing so would have been to produce image quality without deterioration. Therefore, it would have been obvious to combine Feruya et al. with Kawabe et al. to obtain the invention as specified in claim 1.

Referring to claim 2, Kawabe et al. discloses the optical printing apparatus as claimed in claim 1, wherein said photosensitive printing medium has a nonlinear chromophore density characteristic in which the density of a color generated in accordance with a quantity of exposure light is nonlinear with respect to the quantity of exposure light (See Fig. 8-10 showing density vs. exposure), and said exposure level conversion section converts said image data into said exposure level data in such a manner that the density of a pixel formed on said photosensitive printing medium corresponding to said exposure level data is linear with respect to the image data corresponding to said exposure level data (col. 14, lines 50-67).

Referring to claim 3, Kawabe et al. discloses the optical printing apparatus as claimed in claim 1, wherein upon exposure of each element of said print head, the quantity of light per unit time of each element is constant, and said head driving section drives each element of said print head in such a manner that the exposure time of each element is proportional to the magnitude of said exposure level data (col. 2, lines 24-35).

Referring to claim 5, Kawabe et al. discloses the optical printing apparatus as claimed in claim 1, wherein said image data indicates the density of each of three primary colors for a plurality of pixels forming a color image with said first gradation

Art Unit: 2624

value for each pixel (col. 9, lines 9-16), and said exposure level conversion section converts said image data input thereto into corresponding exposure level data for each color which is indicative of the density of each color of each pixel represented by said image data with a second gradation value greater than said first gradation value for each color (col. 9, lines 43-46), and said head driving section receives said exposure level data for each color and drives each element of said print head to expose said photosensitive printing medium in such a manner that a quantity of light corresponding to said exposure level data is exposed to said photosensitive printing medium, thereby forming a pixel of a density for each color corresponding to said exposure level data for each color on said photosensitive printing medium (col. 9, lines 46-49).

Referring to claim 8, Kawabe et al. discloses the optical printing apparatus as claimed in claim 1, wherein said exposure level correction section comprises: a multiplier (multiplier 41 of Fig. 3) for multiplying said correction factors and exposure level data (col.11, lines 42-45); wherein said exposure level correction section determines corrected exposure level data from a correction factor read out from said correction table and an input exposure level data, and outputs the corrected exposure level data thus determined (col. 11, lines 43-54)

Referring to claim 9, Kawabe et al. discloses the optical printing apparatus as claimed in claim 1, further comprising: an accumulated exposure time information storing section (correction memory 66) for storing accumulated exposure time information corresponding to an accumulated exposure time of said print head (col. 14, lines 50-67); and an exposure level correcting section for correcting exposure level data

Art Unit: 2624

output from said exposure level conversion section in accordance with accumulated exposure time information output from said accumulated exposure time information storing section, and for outputting the thus corrected exposure level data (col. 15, lines 1-3); wherein said head driving section receives said corrected exposure level and drives each element of said print head to expose said photosensitive printing medium in such a manner that a quantity of light corresponding to said input corrected exposure level is exposed to said photosensitive printing medium, thereby forming a pixel of a density corresponding to said corrected exposure level data on said photosensitive printing medium (col. 15, lines 1-3).

Referring to claim 10, Kawabe et al. discloses the optical apparatus as claimed in claim 1, wherein said image data is converted into said exposure level data in accordance with characteristics of said print head and said photosensitive printing medium (col. 30, lines 31-39).

Referring to claim 11, Kawabe et al. discloses the optical apparatus as claimed in claim 1, wherein said correction factor includes converting said unevenness in density resulting from said print head (col. 4, lines 13-18).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter K. Huntsinger whose telephone number is (571)272-7435. The examiner can normally be reached on Monday - Friday.




Art Unit: 2624

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Moore can be reached on (571)272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PKH



DOUGLAS Q. TRAN  
PRIMARY EXAMINER

